

Wales & West Utilities Ltd









Introduction

In December 2020 OFGEM published their RIIO-2 Final Determinations for the transmission and gas distribution price controls. These set out the key elements of the price control from 1 April 2021 to 31 March 2026. This included a new licence obligation for the gas transporter licence holders to comply with an enhanced obligations framework in relation to the exit capacity booking process.

Standard Special Licence Condition ("SSC") A57 (Exit Capacity Planning) of the gas transporter licences requires the licence holder ("licensee") to comply with the Exit Capacity Planning Guidance ("the Guidance") which is available here: Exit Capacity Planning Guidance | Ofgem

The Guidance comprises a set of requirements relating to the following areas of capacity booking activity.

- Methodology: Gas Distribution Networks (GDNs) must provide information on the structure of their networks known as Network Topology, and both GDNs and National Gas Transmission (NGT) must provide information on their forecasts of demand and the details of the processes in place to calculate these forecasts.
- Engagement: The GDNs and NGT must collaboratively work with each other and with other stakeholders to maximise booking efficiency across the gas transportation network as a whole.
- Reporting: licensees must report annually to the Authority on capacity booking methodology, stakeholder engagement, decision-making and data to demonstrate efficient booking outcomes.

This document delivers the requirements for GDNs to update and share their Network Topologies for the 2024 booking cycle. In external versions of this publication some of the information has been redacted for the protection of CNI.

If you have any queries or would like any further information please contact our planning team: LTSAnalysisRequests_NMU@www.tilities.co.uk



South West

Topology		CONTRACTOR OF THE PROPERTY OF			Changes Over	Anticipated Changes Over the Coming Year
This Information	has bee	n reda	cted d	ue to its s	ensitivity	in line
with BEIS and the	e CPNI g	eneral	princip	oles of sec	curity aro	und its
	W	ider di	sclosu	re		
	This Information	This Information has been with BEIS and the CPNI g	Topology Control Capacity (mcm/d) This Information has been reda with BEIS and the CPNI general	Topology Control Capacity (mcm/d) (mcm/d) Capacity (mcm/d) (mcm/d) This Information has been redacted do with BEIS and the CPNI general princip	Topology Control Capacity (mcm/d) Capacity (mcm/d) (bar) This Information has been redacted due to its s	Topology Control Capacity (mcm/d) Capacity (mcm/d) Capacity (mcm/d) Capacity (mcm/d) Capacity (mcm/d) Capacity (mcm/d) (bar) Changes Over the Past Year Changes Over the Past Year This Information has been redacted due to its sensitivity with BEIS and the CPNI general principles of security aro

Wales South

Offtake	Topology		Max Capacity (mcm/d)	Min Capacity (mcm/d)	Downstream MOP (bar)	Changes Over the Past Year	Anticipated Changes Over the Coming Year
	This Information	has bee	n redac	ted du	e to its se	ensitivity	in line
	with BEIS and the	CPNI ge	eneral	orincip	les of sec	urity arou	and its
		W	ider di	sclosur	е		



Wales North

Offtake	Topology		Max Capacity (mcm/d)	Min Capacity (mcm/d)	Downstream MOP (bar)	Changes Over	Anticipated Changes Over the Coming Year
	This Information	has be	en reda	cted d	ue to its	sensitivity	in line
	with BEIS and th	e CPNI g	general	princi	ples of se	curity arc	und its
		V	vider d	isclosu	re		